



阿里巴巴
Alibaba.com



恒锐·机械

ENG Y • MECHINERY

东莞市恒锐印刷器材有限公司 / 恒巨普印科技（香港）有限公司

ENG YPRINT TECH COMPANY LIMITED

东莞市恒锐印刷器材有限公司/恒巨普印科技（香港）有限公司

ENG YPRINT TECH COMPANY LIMITED

地址: 中国 广东省 东莞市虎门镇龙眼工业区龙眼二路25号

Add : 25# Longyan 2 Rd., Longyan I.Z., Humen, Dongguan, China.

Tel : +86 (769) 85527799 85197153

Fax : +86 (769) 85197143

E-mail: info@engyprint.cn

Skype: engyprint

Mob/Wechat/What'sApp : +86 13818791091

Web: Http://www.Engyprint.cn Http://engytech.en.alibaba.com

—— 中国制造 恒锐力量

MADE IN CHINA ENG Y POWER

ABOUT COMPANY

公司简介

ENGYPRIINT公司成立于**1999**年，拥有自主品牌和工厂，主要生产移印丝印器材以及金属晒版和蚀刻系列设备，总部设在东莞虎门，昆山设有华东区移印钢板分厂。**2007**年公司在香港注册成立“恒巨普印科技（香港）有限公司，服务于公司产品的海外销售。ENGYPRIINT公司超过**17**年的生产制造和销售经验，我们能够为客户提供专业的采购指导，帮助客户解决他们在生产中遇到的各种金属制版及腐蚀的技术难题。

我们真诚的希望，以我们专注的职业精神，宝贵的技术经验，专业的生产流程，严格的品质检验，以及诚信可靠的合作模式，与我们的合作伙伴在激烈的市场竞争中共同打造行业领先者的品牌地位！

ENGYPRIINT company was founded in 1999 and which has the independent brand and own factory, mainly produce pad printing and screen printing machinery, exposure unit and metal etching series equipment. ENGYPRIINT headquartered in Dongguan city, and in 2007 we incorporated in Hongkong to make it more convenient to serve overseas customers.

ENGYPRIINT with more than 17 years of manufacturing and sales experience, we can provide professional producement guidance for customers, to help them one-stop get their printers and printing materials or metak etching series units. At present, we have more than 500 customers come from 53 countries and regions.

We believe that with our good product quality , competitive price, full thoughtfully sale service and our sincerity and credibility, we will be not only one of your best business cooperators, but also a very sincere and good friend of you in China!




ENG Y MAKE


恒锐制造



丝印机 Screen Printer



移印机 Pad Printer



晒版机 Exposure Unit



蚀刻机 Metal Etching Equipment

ENG Y QUALITY

恒锐品质



PNEUMATIC PAD PRINTER —— OPEN STYLE


气动移印机 —— 油盆式



Shuttle Work Table
穿梭式工作台



Conveyor Work Table
转盘式工作台



Ink Tray
油盘

- Inkwell pad printer uses open ink tray printing system;
油盘移印机系列均采用敞开油盘式供油印刷系统;
- Microprocessor control, low noise, stable performance, simple operation;
微电脑控制各项功能动作，噪音低、速度快、性能稳定、操作简单;
- Widely applied in many industries including stationery, toys, plastic, gift, electrical appliances, electronic, etc.
广泛适用于文具、玩具、礼品、电器、电子等产品图案的印刷。



OPEN STYLE PAD PRINTERS MACHINE MODEL PARAMETER LIST

油盆移印机的机型参数表

Color 颜色	Model 机器型号	Plate Size 钢板尺寸	Max.Print Size 最大印刷面积	Print Capacity 印刷效率	Net Weight 机器重量	Dimension 机器尺寸
1 C	EN-Y125/1 125 单色油盘机	100x100mm	80x80mm	2600 cycles/hour	68kg	L680xW460xH1310mm
	EN-Y150/1 150 单色油盘机	100x150mm	80x130mm	2000 cycles/hour	80kg	L780xW500xH1350mm
	EN-Y160/1 160 单色油盘机	100x150mm	80x130mm	1800 cycles/hour	98kg	L800xW510xH1430mm
	EN-Y200/1 200 单色油盘机	100x200mm	80x180mm	1400 cycles/hour	150kg	L1020xW580xH1450mm
2 C	EN-Y125/2S 125双色油盘机	100x100mm	80x80mm	1800 cycles/hour	78kg	L680xW460xH1310mm
	EN-Y150/2S 150双色油盘机	100x150mm	80x130mm	1500 cycles/hour	90kg	L780xW500xH1350mm
	EN-Y160/2S 160双色油盘机	100x150mm	80x130mm	1400 cycles/hour	103kg	L800xW510xH1430mm
	EN-Y200/2S 200双色油盘机	100x200mm	80x180mm	1200 cycles/hour	170kg	L1020xW610xH1450mm
4 C	EN-Y160/4S 160四色油盘穿梭机	100x150mm	80x130mm	900 cycles/hour	130kg	L980xW780xH1430mm
	EN-Y200/4S 200四色油盘穿梭机	100x200mm	80x180mm	900 cycles/hour	195kg	L1020xW780xH1450mm
6 C	EN-Y200/6S 200六色油盘穿梭机	100x200mm	80x180mm	680 cycles/hour	205kg	L1020xW1000xH1450mm
	EN-Y200/6A 200六色油盘转盘机	100x200mm	80x180mm	1000 cycles/hr	230kg	L1100xW1150xH1450mm
Main Voltage 电源/功率				110V/220V 60MHZ 50W		

PNEUMATIC PAD PRINTER — CLOSED INK CUP STYLE

气动移印机 —— 油墨式



Cylinder
气缸



Solenoidvalve
电磁阀



Ink Cup
油墨



Base Plate
底板



Protective Door
安全门



Fixture
夹具图

- Inkcup pad printer uses clean and environmental protection closed inkcup printing system;
油墨移印机系列均采用清洁、环保的密封油墨式供油印刷系统;
- Microprocessor control, low noise, stable performance, simple operation;
微电脑控制各项功能动作，噪音低、速度快、刮墨干净、性能稳定、操作简单;
- Widely applied in many industries including stationery, toys,plastic, gift, electrical appliances, electronic,etc.
广泛适用于文具、玩具、礼品、电器、电子等产品图案的印刷。



CLOSED STYLE PAD PRINTERS MACHINE MODEL PARAMETER LIST

油墨移印机的机型参数表

Color 颜色	Model 机器型号	Plate Size 钢板尺寸	Max.Print Size 最大印刷面积	Print Capacity 印刷效率	Net Weight 机器重量	Dimension 机器尺寸
1 C	EN-C125/1 125 单色油墨机	100x200mm	Φ90mm	2600 cycles/hour	70kg	L680xW460xH1310 mm
	EN-C150/1 150 单色油墨机	100x250mm	Φ90mm	2000 cycles/hour	82kg	L780xW500xH1350 mm
	EN-C160/1 160 单色油墨机	100x250mm	Φ90mm	1800 cycles/hour	98kg	L800xW510xH1430mm
	EN-C200/1 200 单色油墨机	100x300mm	Φ90mm	1400 cycles/hour	150kg	L1020xW580xH1450mm
2 C	EN-C125/2S 125双色油墨机	100x200mm	Φ90mm	1800 cycles/hour	78kg	L680xW460xH1350 mm
	EN-C150/2S 150双色油墨机	100x250mm	Φ90mm	1500 cycles/hour	92kg	L780xW500xH1350 mm
	EN-C160/2S 160双色油墨机	100x250mm	Φ90mm	1400 cycles/hour	108kg	L810xW510xH1430mm
	EN-C200/2S 200双色油墨机	100x300mm	Φ90mm	1200 cycles/hour	170kg	L1020xW610xH1450 mm
4 C	EN-C160/4S 160四色油墨穿梭机	100x250mm	Φ90mm	900 cycles/hour	135kg	L1050xW830xH1430 mm
	EN-C200/4S 200四色油墨穿梭机	100x300mm	Φ90mm	900 cycles/hour	195kg	L1020xW780xH1450mm
6 C	EN-C200/6S 200六色油墨穿梭机	100x300mm	Φ90mm	680 cycles/hour	205kg	L1020xW1000xH1450mm
	EN-C200/6A 200六色油墨转盘机	100x300mm	Φ90mm	1000 cycles/hour	230kg	L1100xW1150xH1450mm
Main Voltage 电源/功率				110V/220V 60MHZ 50W		

Cylindrical/ Flat Screen Printing Machine

平圆面丝印机



Control panel
控制面版



Round Screen Printing
圆面丝印




- The machine can print plane, cylindrical and conical products;
机器具有平面、圆面及锥面印刷功能，自动化程度高；
- it is of microprocessor control, low noise, high speed, stable performance, easy operation;
微电脑控制各项功能动作，噪音低、速度快、刮墨干净、性能稳定、操作简单；
- The machine is widely applied in many industries including stationerys, toys,gifts, cosmetics,containers,etc.
广泛适用于文具、玩具、礼品、电器、化妆品、酒瓶等容器产品图案的平圆面印刷。

Model 机器型号	Suitable print 适用印刷	Printing Size 印刷尺寸	Printing Capacity 产量	Weight 重量	Dimension 尺寸
EN-YS200 平圆面丝印机	Round, Oval, Cone, Flat	170x250mm Φ75mm	1800 pcs/ hour	100kg	L750xW730xH1280mm
EN-YS300 平圆面丝印机	Round, Oval, Cone,Flat	200x250mm Φ110mm	1200 pcs/ hour	145kg	L880xW830xH1300mm
EN-YS400 圆面丝印机	Round, Oval, Cone	200x630mm Φ200mm	900 pcs/ hour	170kg	L880xW830xH1300mm
EN-YS500 圆面丝印机	Round, Oval, Cone	300x950mm Φ300mm	700 pcs/ hour	260kg	L1300xW1650xH1400mm
Main Voltage 电源/功率		220V 60MHZ 50W			

Flat Screen Printing Machine


平面丝印机



Flat Screen Printing
平面丝印



Screen Scraping
丝印刮胶



Screen Printing Plate
丝印网版



- The machine uses automatic four digit counter to count printing quantity;
机器采用自动的四位数计数器，统计印刷数量；
- It is of double column lifting structure, low noise, high speed, stable performance, easy operation;
机器采用双柱式升降结构，整机运行速度快，平稳，噪音小；
- The machine is widely applied in eyeglasses, PVC films, papers, PVC cosmetic bags,etc.
广泛适用于镜片、PVC胶片、纸张、PVC化妆品胶袋等其他较轻软产品表面商标印刷等。

Model 机器型号	Worktable Sizw 工作台尺寸	Printing Size 印刷尺寸	Printing Capacity 产量	Weight 重量	Dimension 尺寸
EN-PS2030F 立式平面丝印机	250x400mm	200x300mm	1500 pcs/ hour	86kg	L620xW600xH1600mm
EN-PS2030V 立式平面吸风丝印机	250x400mm	200x300mm	1500 pcs/ hour	88kg	L620xW600xH1600mm
EN-PS3050V 电动平面丝印机	400x600mm	300x500mm	1200 pcs/ hour	120kg	L700xW650xH1600mm
EN-PS4060V PLC 电动平面吸气丝印机	500x700mm	400x600mm	1000 pcs/ hour	260kg	L950xW750xH1580mm
Main Voltage 电源/功率		220V 60MHZ 50W			

Desktop Vacuum Exposure Unit

台式真空曝光机



EN-BG/330MINI

EN-BG/350MINI

Light Source	Bottom Light/ 15wx8 UV Tubes
Max. Exposing Size	400x530 mm
Dimension	620x650x200mm mm
Net Weight	30kg
Power Rating	220v/ 120w

Single-sided Automatic Vacuum Exposure Unit

自动抽真空单面晒版机



EN-BG/2000

Light Source	Bottom Ligh / UV Lamp		
Max. Exposing Size	900x1200mm	1200x1500mm	1500x2000mm
Dimension	130kg	180kg	850kg
Net Weight	220v/2kw	220v/3kw	220w/3kw(4kw)
	Other size can be made to order.		

Single-sided Vaccum Exposure Unit

单面布帘式晒版机



EN-BG/3000

Light Source	Top Light / UV Lamp			
Max. Exposing Size	600x700mm			
Dimension	L850xW750xH1600mm			
Net Weight	75kg			
Power Rating	220v/ 1.2kw	220v/ 3kw	220v/ 4kw	380v/ 4kw
	Other size can be made to order.			

Automatic Double-sided Vacuum Exposure Unit

自动抽真空双面晒版机



EN-BG/4000X

Light Source	Top and Bottom Light / UV Lamp		
Max. Exposing Size	850x950mm	400x1200mm	400x1200mm
Dimension	V1000xL1100xH1500mm	W600xL1400xH1990MM	W600xL1400xH1900MM
Net Weight	150kg	160kg	160kg
Power Rating	380v.4kw	220v/380v,4kw	220v/380v,6kw
	Other size can be made to order.		

Up Spray Single-sided Metal Etching Machine

上喷式单面金属蚀刻机

EN-SK/6000A

分体式(separated control system)



EN-SK/6000

一体式



Automatic Conveyor Double-sided Metal Etching Machine

自动传送式双面金属蚀刻机

EN-SK/C600X



Etching Room

蚀刻工作间



Filter Net
药水滤网



Two layers of glazing window
双层玻璃门

- Liquid up spraying design, used for oil steel, chrome steel, carbon steel, stainless steel pad printing steel plate etching; 药水上喷式设计, 适用于油钢、铬钢移印钢板以及碳钢、不锈钢移印钢片的蚀刻;
 - With the time-controlled and thermostatic system to ensure accurate etching depth; 时间控制器及恒温装置确保了蚀刻深度的准确度;
 - The spray nozzles and the plate holder staggered swing make higher etching precision. 喷淋嘴及工件的交错摇摆, 使蚀刻精度更高。



etching precision :
+/-0.002mm~0.003mm

Model 机器型号	Main Voltage 电源/功率	Max.etching Size 最大蚀刻面积	Liquid Content 水箱容量	Dimension 尺寸	Net Weight 重量
EN-SK/6000	220V/380V/50Hz~60Hz 3.1KW	300mmx600mm	80L	L1145xW435xH850mm	80KG
EN-SK/6000A	220V/380V/50Hz~60Hz 3.1KW	300mmx600mm	80L	L1750xW575xH1115mm	150KG

- The machine with double-sided spray from up and down, which is especially recommended;
本机采用上下双面喷淋方式蚀刻，带工作自动传送功能，特别推荐产量要求较高的单双面标牌及薄型金属零件表面蚀纹或镂空蚀刻；
- Used for etching the iron, steel, chrome steel, stainless, copper, aluminum, etc;
可用于蚀刻铁、钢片、铬钢、不锈钢、铜、铝等金属工件；
- The liquid spray headers can be made in swing way, which will result in more higher quality effect.
喷淋架可订做为摇摆式，摇摆式喷淋将获得更高精度的蚀刻效果。

Model 机器型号	Mach. Main Voltage 电源/功率	Feed Entrance Width 最大进料宽	Etching Room Length 蚀刻间长度	Liquid Content 水箱容量	Dimension 尺寸	Net Weight 重量
EN-SK/C600X	380V/50Hz~60Hz 7KW	600mm	900mm	250L	L2300xW1500xH1460	80KG
	The etching Conveyor width and the etching area length can be made to order. 可根据客户要求订做蚀刻区长度及工件进料宽度					

MULTIPLE WINDOWS HIGH PRECISION METAL ETCHING MACHINES

多窗高精金属蚀刻机




EN-SK/J220-2W

Two-Window High-Precision Double Sided Etching Machine
两窗高精双面蚀刻机




EN-SK/GJ330

High-Precision Etching Machine With Cleaning
带清洗高精金属蚀刻机



EN-SKC600X-2W

High-Precision Double-Sided Etching Cleaning Machine
高精双面蚀刻清洗一体机



- > Concentration Meter
浓度计
- > Measuring Cylinder
药水量筒
- > FeCl₃ Etching Powder
蚀刻药粉

MORE MACHINES

其他辅助器材



EN-SJ/200

Centrifugal Table Style Coating Machine
离心式钢板上浆机

Power Rating	220V/45W
Max.Work Spec[mm]	200x200
Machine Size[mm]	W400xL400xH255mm



EN-ZK01

Automatic Vacuum Supply Unit for Pads
移印胶头自动抽真空机

Machine Power	380V/50Hz
Pump Power	1.5KW
Pumping Rate	15L/S
Work Space Size	L550xW400xH300mm



Automatic Electric Oven
电烤箱

Machine Model	Power Rating	Power Rating	Max.Work Spec[mm]	Machine Size[mm]
EN-KX/1010	0.8-1.6kw	0.8-1.6kw	350*350*350	590*660*520
EN-KX/1011	0.8-1.6kw	0.8-1.6kw	450*450*350	690*760*520
EN-KX/1012	1.6-2.4kw	1.6-2.4kw	550*550*450	790*870*640
EN-KX/1013	2-3kw	2-3kw	750*600*500	1050*980*700
EN-KX/1014	3*4.8kw	3*4.8kw	1000*800*800	1380*1210*1000
Temperature Setting +5 °C - 300 °C				



EN-CSY300

High Precision Etching Depth Tester
台式数显深度计

Basic Stable Material	Marble
Basic Table Size	300X200X50mm
Tester Pole Hight	300mm
Measure Range	0-12.5mm
Measure Accuracy	0.001mm