



www.niubull.com



牛牛机械
www.niubull.com



牛牛机械

NIUNIUMACHINERY

东莞市牛牛机械科技有限公司

DONGGUAN NIUNIUMACHINERY TECHNOLOGY CO.,LTD.

东莞市牛牛机械科技有限公司

DONGGUAN NIUNIUMACHINERY TECHNOLOGY CO.,LTD.

地址:中国 广东省 东莞市 虎门镇 怀德路96号

Add : No.96 Huide Road,Humen Town,Dongguan City,Guangdong Province,China

E-mail:neveah@niubull.com

Mob/WeChat/WhatsApp : +86 139 2588 8798

Web: http://niubull.en.alibaba.com/www.niubull.com

——— 中国制造 牛牛机械

MADE IN CHINA NIUNIUMACHINERY



www.niubull.com

ABOUT COMPANY

公司简介

东莞市牛牛机械科技有限公司作为源头生产厂家，专注于生产各种高性价比的移印机、丝网印刷机、油墨杯、合金刀环/钨钢刀环、陶瓷刀环、移印钢板、移印钢片、移印铝片等，作为东莞市最早批的移印耗材生产厂家，成立已有20多年，可根据客户需求定制各种规格的移印耗材，为客户提供最合适的产品，并努力提供优质的服务。

Dongguan Niuniu Machinery Technology Co.,Ltd.as the source manufacturer, specializing in the production of all kinds of cost-effective pad printing machine, screen printing machine,ink cup carbide ring,ceramic ring,pad printing steel plates, pad printing steel sheets, pad printing aluminumsheets, etc.,NIUBULL as a brother enterprise of Dongguan Engyprint TechCompany Ltd.established for over 20 years, Our company can accept customized pad printing consumables of various specifications can be providedaccording to customer needs to provide customers with the most suitable products..and strive forexcellence in service.



目录 Catalogue

车间展示 Workshop showcase	1
工艺展示 Process showcase	2
移印刀环尺寸 Doctor blade ring sizes	3/4
新品刀环 New products showcase	5
油墨展示 Ink cup display	6
移印机耗材，胶头等展示 Display of pad printing machine consumables (e.g.Pads)	7/8
移印机展示一 Pad printing machine	9/10
移印机展示二 Pad printing machine	11/12
移印机展示三 Pad printing machine	13/14
丝印机展示 Screen printing machine	15/16

Workshop Showcase 车间展示



Ceramic ring/alloy ring production
移印刀环生产



Ink cup production
油墨生产



Pad printer production
移印机生产



Office premises
办公场所

NIUNI QUALITY
牛牛品质



Process Demonstration 工艺展示






www.niubull.com



Ceramic ring
陶瓷刀环



Carbide ring
钨钢环/合金环

Common specifications (OD*ID*H mm)

常见规格 (外径*内径*高度mm)


65*60*5.2/5.3	95*90*5.2/5.3	135*130*5.2/5.3
46*42*5.5	54*50*7.5	70*65*7
78*70*9	90*85*8	95*90*8.5
96*90*8	116*110*8	125*120*6/6.5
130*125*6	140*135*6/8.5	145*140*6.5
155*150*6	185*180*6	188*180*8.5
195*190*6	42*37*9	72*66*9
74*70*9	78*70*9	92*86*9
94*90*9	96*90*9	115*110*9
127*120*9	136X144X9.5	140*135*9/9.5
60*53*10/12	65*58*12	70*63*10
70*60*12	70*62*12	75*65*12
78*68*12	80*70*12	90*80*12
90*82*12	95X85X12	100*90*12
100*92*12	101*89.5*12	110*100*12
120*110*12	130*120*12	140*130*12
150*140*12	160*150*12	170*160*12
180*170*12	190*180*12	200*190*12
90*82*13	100*90*13	135*126*14
140X131X14	140*131*15	165*155*14/16
175*165*14	190X180X14	201*189*16

You can customize different sizes according to your needs
可以根据需要，定制不同的尺寸。

New product launch
double-material inlaid knife ring
新品上线 • 双材质镶嵌刀环



Tungsten Steel Material
钨钢材质




Stainless Steel Material
不锈钢材质

Common types of ink cups <常见油杯类型>



You may refer to samples or drawings for customizing the oil cup.
可来样或者图纸加工定制。



Common pad printing plate sizes (width * length)mm
常见的移印板尺寸 (宽度*长度mm)

70*140 mm	100*260 mm	200*225 mm
75*150 mm	100*300 mm	200*250 mm
85*175 mm	150*150 mm	200*300 mm
100*100 mm	150*200 mm	200*400 mm
100*200 mm	150*300 mm	200*500 mm
100*215 mm	150*325 mm	250*250 mm
100*220 mm	150*350 mm	250*300 mm
100*240 mm	150*400 mm	250*350 mm
100*250 mm	200*200 mm	250*400 mm

We can customize various specifications according to your needs.
可根据需要定做各种尺寸。



NN-Y125/1T



NN-Y125/2T



NN-C125/1T



NN-C125/2T

Model 型号	NN-Y125/1T	NN-Y125/2T	NN-C125/1T	NN-C125/2T
Steel Plate Size(mm) 钢板/钢片尺寸(mm)	100*100mm	100*100mm	200*100mm	200*100mm
Maximum Printing area(mm) 最大印刷面积(mm)	80*80mm	80*80mm	Φ75mm	Φ75mm
Maximum Speed(pcs/hr) 最大速度(pcs/hr)	1200	1200	1200	1200
Power Supply 电源	110V/220V,60/50Hz,40W			
Air Pressure(bar) 气压 (bar)	5-7			
Net Weight(kg) 机器重量(kg)	55	72	60	77
Machine Dimensions(mm) 机器尺寸 (mm)	L640*W450*H780	L640*W490*H780	L640*W450*H780	L640*W490*H780



NN-Y125/1



NN-Y125/2S



NN-C125/1



NN-C125/2S

Model 型号	NN-Y125/1	NN-Y125/2S	NN-C125/1	NN-C125/2S
Steel Plate Size(mm) 钢板/钢片尺寸(mm)	100*100mm	100*100mm	200*100mm	200*100mm
Maximum Printing area(mm) 最大印刷面积(mm)	80*80mm	80*80mm	Φ75mm	Φ75mm
Maximum Speed(pcs/hr) 最大速度(pcs/hr)	1200	1200	1200	1200
Power Supply 电源	110V/220V,60/50Hz,40W			
Air Pressure(bar) 气压 (bar)	5-7			
Net Weight(kg) 机器重量(kg)	68	85	73	90
Machine Dimensions(mm) 机器尺寸 (mm)	L650*W460*H1250	L650*W500*H1250	L650*W460*H1250	L650*W500*H1250



www.niubull.com

Desktop Mini Pad Printer <台式移印机> ■



NN-Y175/1



NN-Y175/2S



NN-Y175/4S



NN-C175/4A

Model 型号	NN-Y175/1	NN-Y175/2S	NN-Y175/4S	NN-C175/4A
Steel Plate Size(mm) 钢板/铜片尺寸(mm)	150*100mm	150*100mm	150*100mm	250*100mm
Maximum Printing area(mm) 最大印刷面积(mm)	130*80mm	130*80mm	130*80mm	Φ75mm
Maximum Speed(pcs/hr) 最大速度(pcs/hr)	1200	1100	900	800
Power Supply 电源	110V/220V,60/50Hz,40W			
Air Pressure(bar) 气压 (bar)	5-7			
Net Weight(kg) 机器重量(kg)	86	105	116	155
Machine Dimensions(mm) 机器尺寸 (mm)	L850*W550*H1350	L850*W600*H1350	L850*W750*H1350	L950*W1000*H1350

Y: Open Tray Machine, C: Ink Cup Machine, A: Conveyor Belt Workbench ■

Y: 表示油墨机, C: 表示油墨机, A: 表示带转盘工作台



NN-C175/1



NN-C175/2S



NN-C175/4S



NN-C175/6A

Model 型号	NN-C175/1	NN-C175/2S	NN-C175/4S	NN-C175/6A
Steel Plate Size(mm) 钢板/铜片尺寸(mm)	250*100mm	250*100mm	250*100mm	250*100mm
Maximum Printing area(mm) 最大印刷面积(mm)	Φ75mm	Φ75mm	Φ75mm	Φ75mm
Maximum Speed(pcs/hr) 最大速度(pcs/hr)	1200	1100	900	600
Power Supply 电源	110V/220V,60/50Hz,40W			
Air Pressure(bar) 气压 (bar)	5-7			
Net Weight(kg) 机器重量(kg)	92	112	126	260
Machine Dimensions(mm) 机器尺寸 (mm)	L850*W550*H1350	L850*W600*H1350	L850*W750*H1350	L1200*W1100*H1350



Full Electric Two Color Closed Ink Cup
 Pad Printer with Shuttle Work Table
 and Automatic Pad Cleaning System
 电动双色移印机 (自动清洁系统)

Model (型号) : NP00-175/2SE-Q
 Steel plate size (钢板尺寸) : 100*220mm
 Max printing area (最大印刷面积) : 60*60mm
 Vol (电压) : 110V/220V
 Operation mode (运行模式) : semi-automatic
 Machine size (机器尺寸) : 950*850*1580mm



Two color pad printing machine with
 rubber head servo shuttle
 双色胶头穿梭移印机

Model (型号) : NP11-175/4SE-D
 Steel plate size (钢板尺寸) : 100*250mm
 Max printing area (最大印刷面积) : 60*100mm
 Working Pressure (气压) : 5-7bar
 Vol:110V/220V
 Operation mode (运行模式) : semi-automatic
 Machine size (机器尺寸) : 800*700*1440mm



Electric shuttle Four Color closed Ink cup
 Pad Printer with Shuttle Work Table
 电动穿梭四色移印机

Model (型号) : NP11-175/4SE-D
 Thick steel plate size (钢板尺寸) : 100*150mm
 Max printing area (最大印刷面积) : 70*120mm
 Working Pressure (气压) : 5-7bar
 Vol:110V/220V
 Operation mode (运行模式) : semi-automatic
 Machine size (机器尺寸) : 920*820*1480mm



printed products
 印刷产品

Cylindrical/ Flat Screen Printing Machine

平圆面丝印机



Round Screen Printing
圆面丝印



Control panel
控制面板



Application Sample Display
印刷案例示范

- The machine can print plane, cylindrical and conical products;
机器具有平面、圆面及锥面印刷功能，自动化程度高；
- it is of microprocessor control, low noise, high speed, stable performance, easy operation;
微处理器控制各项功能动作，噪音低、速度快、刮墨干净、性能稳定、操作简单；
- The machine is widely applied in many industries including stationerys, toys, gifts, cosmetics, containers, etc.
广泛适用于文具、玩具、礼品、电器、化妆品、酒瓶等容器产品图案的平面印刷。

Model 机器型号	Suitable print 适用印刷	Printing Size 印刷尺寸	Printing Speed 印刷速度	Weight 重量	Dimension 尺寸
NN-YS200 平圆面丝印机	Round, Oval, Cone, Flat	280*200mm Φ88mm	1500 pcs/ hr	120kg	L900xW850xH1250mm
NN-YS300 平圆面丝印机	Round, Oval, Cone, Flat	380*280mm Φ120mm	1500 pcs/ hr	135kg	L1100xW850xH1300mm
NN-YS500 圆面丝印机	Round, Oval, Cone	580x300mm Φ185mm	1200 pcs/ hr	175kg	L1100xW1120xH1500mm
Main Voltage 电源/功率		220V 50~60Hz 50W			

Flat Screen Printing Machine

平面丝印机



The machine uses automatic four digit counter to count printing quantity;
机器采用自动的四位数计数器，统计印刷数量；

It is of double column lifting structure, low noise, high speed, stable performance, easy operation;
机器采用双柱式升降结构，整机运行速度快，平稳，噪音小；

The machine is widely applied in eyeglasses, PVC films, papers, PVC cosmetic bags, etc.
广泛适用于镜片、PVC胶片、纸张、PVC化妆品胶袋等其他较柔软产品表面商标印刷等。

Model 机器型号	Worktable Size 工作台尺寸	Printing Size 印刷尺寸	Printing Speed 印刷速度	Weight 重量	Dimension 尺寸
NN-PS2030F 立式平面丝印机	250x400mm	200x300mm	1200pcs/ hr	95kg	L600xW800xH1650mm
NN-PS2030V 立式平面吸风丝印机	250x400mm	200x300mm	1200 pcs/ hr	95kg	L600xW800xH1650mm
NN-PS3050F 立式平面丝印机	350x600mm	300x500mm	900 pcs/ hr	190kg	L800xW1050xH1650mm
NN-PS4060V PLC 电动平面吸气丝印机	500x700mm	400x600mm	800 pcs/ hr	320kg	L1000xW1150xH1700mm
NN-PS6090V PLC 电动平面吸气丝印机	700x1000mm	600x900mm	800 pcs/ hr	600kg	L1350xW1400xH1700mm
Main Voltage 电源/功率		220V 50~60Hz 50W			



www.niubull.com

Cooperate Hand in Hand for a
Win-Win Future,
Agents Are Sincerely Invited.
携手合作，共赢未来，诚邀代理！



东莞市牛牛机械科技有限公司

DONGGUAN NIUNIU MACHINERY TECHNOLOGY CO., LTD.

地址:中国 广东省 东莞市 虎门镇 怀德路96号

Add:No. 96 Huide Road, Humen Town, Dongguan Cty, Guangdong Province, China

E-mail:neveah@niubull.com

Mob/WeChat/WhatsApp:+86 139 2588 8798

Web:<http://niubull.en.alibaba.com>/www.niubull.com

The End